



4K Ultra HD Network Small IR-Bullet Camera



IP-B4KFC

Features

- 1/2.3" 4K progressive scan CMOS
- H.264 & MJPEG dual-stream encoding
- Max 15fps@4K(3840× 2160)
- DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring:
Web viewer, Snappy Universal CMS
- 4mm fixed lens
- Max. IR LEDs Length 30m
- IP66, PoE



Dimensions (mm)

Technical Specifications

Model	IP-B4KFC	
Camera		
Image Sensor	1/2.3" 4K progressive scan CMOS	
Effective Pixels	3840(H)x2160(V)	
Scanning System	Progressive	
Electronic Shutter Speed	Auto/Manual, 1/ 3(4)~1/10000s	
Min. Illumination	0.1Lux/F1.6 (Color), 0Lux/F1.6(IR on)	
S/N Ratio	More than 50dB	
Video Output	N/A	
Camera Features		
Max. IR LEDs Length	30m	
Day/Night	Auto(ICR)/Color/B/W	
Backlight Compensation	BLC / HLC / DWDR	
White Balance	Auto/Manual	
Gain Control	Auto/Manual	
Noise Reduction	3D	
Privacy Masking	Up to 4 areas	
Lens		
Focal Length	4mm	
Max Aperture	F1.6	
Focus Control	Manual	
Angle of View	H:80°	
Lens Type	Fixed lens	
Mount Type	Board -in Type	
Video		
Compression	H.264 / M JPEG	
Resolution	4K(3840 × 2160) 3M(2048 × 1536)/1080P (1920 × 1080)/720P (1280 × 720) /D1(704 × 576 /704 × 480) / CIF(352 × 288 /352 × 240)	
Frame Rate	Main Stream	4K(1~ 15fps)/3M/ 1080P/ (1 ~ 25/30fps)
	Sub Stream	D1/CIF(1 ~ 25/30fps)
Bit Rate	H.264: 20K ~ 16Mbps	
Audio		
Compression	N/A	
Interface	N/A	
Network		
Ethernet	RJ-45 (10/100Base -T)	
Wi-Fi	N/A	
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour	
Compatibility	ONVIF ,PSIA,CGI	
Max. User Access	20users	

Smart Phone	iPhone, iPad, Android, Windows Phone
Auxiliary Interface	
Memory Slot	N/A
RS485	N/A
Alarm	N/A
PIR Sensor Range	N/A
General	
Power Supply	DC12V, PoE (802.3af)
Power Consumption	<7.5W
Working Environment	-30°C~+60°C, Less than 95% RH
Ingress Protection	IP66
Vandal Resistance	N/A
Dimensions	178.4 mm×70mm×69.9 mm
Weight	528g(683.4g with packaging)

Accessory (**Optional**)



Mailing Address

Snappy
Orlyplein 85
1043 DS Amsterdam
The Netherlands

Contact Details

Tel : +31 (0) 204037397
Fax : +31 (0) 204037310
Email : sales1@snappyeurope.com
sales2@snappyeurope.com
Website : www.snappyeurope.com