

4K Ultra HD Network IR Mini Dome Camera



Features

- 1/2.3" 4K progressive scan CMOS
- H.264&MJPEG dual-stream encoding
- 15fps@4K(3840× 2160)
- DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring:
 - Web viewer, Snappy Universal CMS
- 4mm fixed lens
- Max. IR LEDs Length 20m
- IP66, IK10, PoE



IP-D4KFC

Dimensions (mm)



Technical Specifications

Model	IP-D4KFC	
Camera		
Image Sensor	1/2.3" 4K progressive scan CMOS	
Effective Pixels	3840(H)x2160(V)	
Scanning System	Progressive	
Electronic Shutter Speed	Auto/Manual, 1/ 3(4)~1/10000s	
Min. Illumination	0. 1Lux/F1. 6 (Color), 0 Lux/F1.8(IR on)	
S/N Ratio	More than 50dB	
Video Output	N/A	
Camera Features		
Max. IR LEDs Length	20m	
Day/Night	Auto(ICR)/Color/B/W	
Backlight Compensation	BLC / HLC / DWDR	
White Balance	Auto/Manual	
Gain Control	Auto/Manual	
Noise Reduction	3D	
Privacy Masking	Up to 4 areas	
Lens		
Focal Length	4mm	
Max Aperture	F1.6	
Focus Control	Manual	
Angle of View	H: 80°	
Lens Type	Fixed lens	
Mount Type	Board -in Type	
Video		
Compression	H.264 / MJPEG	
Resolution	4K(3840 × 2160)/ 1080P (1920 × 1080)/720P(1280 × 720)/D1(704 × 576 / 704 × 480) /CIF(352 × 288 / 352 × 240)	
Frame Rate	Main Stream	4K(1~15 fps)/ 3M/ 1080P/ (1 ~ 25/30fps)
	Sub Stream	D1/CIF(1 ~ 25/30fps)
Bit Rate	H.264: 20K ~ 16Mbps	
Audio		
Compression	N/A	
Interface	N/A	
Network		
Ethernet	RJ-45 (10/100Base -T)	
Wi-Fi	N/A	
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPoE, DDNS, FTP, IP Filter, QoS, Bonjour	
Compatibility	ONVIF , PSIA, CGI	
Max. User Access	20 users	

Smart Phone	iPhone, iPad, Android, Windows Phone
Auxiliary Interface	
Memory Slot	N/A
RS485	N/A
Alarm	N/A
PIR Sensor Range	N/A
General	
Power Supply	DC12V, PoE (802.3af)
Power Consumption	<7W
Working Environment	-30°C~+60°C, Less than 95% RH
Ingress Protection	IP66
Vandal Resistance	IK10
Dimensions	Φ110mm×81mm
Weight	406g(531.8g with packaging)



Mailing Address

Snappy
 Orlyplein 85
 1043 DS Amsterdam
 The Netherlands

Contact Details

Tel : +31 (0) 204037397
 Fax : +31 (0) 204037310
 Email : sales1@snappyeurope.com
 sales2@snappyeurope.com
 Website : www.snappyeurope.com